



<u>Abby's Weeping</u> is a slow growing form of A. japonicum. It is not strongly weeping when compared with Green cascade. Summer color is a nice mid green turning rusty red in the heat of summer. Fall color is an excellent orange and red.





Angyo Weeping is a weeping form of A. buergarianum. Height is determined by height staked. Fall color is a good orange and red..



www.donschmidtnursery.com • donschmidtnursery@gmail.com



<u>Ao jutan</u> is a spreading Acer japonicum dissectum. It is similar to Green Cascade, but its leaves are coarser and branching is more horizontal. Fall color is a brilliant yellow, orange, and red. (Green spreader)





<u>Ao shidare</u> is a green weeping laceleaf similar to Virdis. Foliage is a darker green than Virdis. Fall color is a strong yellow orange.






Atropurpureum dissectum is an old-type laceleaf, now commonly referred to as Ornatum. It is grown primarily for its great orange red fall foliage. The oldest and biggest of the laceleafs are probably this type of Japanese maple.





<u>Autumn Fire</u> is a green laceleaf with reddish new growth that fades to a medium green. It is known primarily for its outstanding orange and red fall color.








Baby Lace Lexington is probably a reversion from Baby Lace. It retains the coloration of Baby Lace, but has a much larger leaf and is more vigorous. Leaves emerge an orange red in the spring, fading to a medium green. Fall color is a bright orange red.





Baby Lace is a witch's broom dissectum, orange red in the spring, fading to green. It has very nice orange red fall color. The plant is somewhat delicate and needs some protection when young. It will mature to a ball around 3'.





Baldsmith is a mounding laceleaf with apricot new growth. This contrasts beautifully with its deep green mature leaves giving a two-toned effect. The branching of Baldsmith is pillowy and airy, and will be distinctive in any landscape. As Baldsmith is not red or green, it belongs to a third type of coloration along with Orangeola and Watnong.





Beni Kumo no su is a red laceleaf with finely divided leaves similar to Red Filigree Lace. Although it does not hold its color as well, it is a much better grower. Beni kumo no su is a laceleaf well-suited to limited spaces. (red spider web)



www.donschmidtnursery.com • donschmidtnursery@gmail.com

Beni shidare is a common red laceleaf in Japan. Spring color is an orange red, fading to a bronze green. Some sources consider this clone to be the same as Dissectum Atropurpereum but the fall color is yellow orange rather than garnet orange.





<u>Beni tsukasa shidare</u> is a red laceleaf new from Japan. Leaves are a deep purple red. and reminiscent of Orangeola is shape and size. Fall color is a garnet orange.





<u>Berrima Bridge</u> is a vigorous laceleaf of Australian origin. Spring foliage is green, maturing to a reddish green, and then fading to bronze. Fall color is a bright red.







<u>Bewleys Red</u> is a fine red laceleaf with a strong crimson fall color. However it is not the red tree form laceleaf it is supposed to be.





<u>Black Dragon</u> is a new laceleaf with dark purple foliage that holds it's color well in the heat of the summer. Not much else is known about this variety.





<u>Brocade</u> is a red dissectum similar to Atropurpereum dissectum. Spring growth is a orange red which fades to a reddish green. Fall color is a bright red.





Bronzewing is an old Australian laceleaf, red in spring. It fades to a bronze green in summer. Fall color is yellow and orange.



Chantilly Lace is a good vigorous laceleaf with changeable color.

Spring growth is a garnet red fading to a medium green. Second growth gives the plant a two toned effect. Fall color is yellow and gold.







<u>Crimson Princess</u> is a new red laceleaf with the coloration and characteristics of Crimson Queen but more rapid growing. It may some day replace Crimson Queen. Fall color is crimson.





<u>Crimson Queen</u> is a mounding laceleaf that holds its crimson color all summer. The fall color is also the crimson red. Crimson Queen is somewhat slower growing and less horizontal than Tamukeyama or Everred. This classic laceleaf is still in great demand.





<u>Dad's best</u> is a vigorous dissectum, orange red in spring. Its summer color is a plum red. Fall color is unknown.





<u>Dark Straw</u> is a red laceleaf, fading to red green in summer. New growth has noticeable pubescence; similar to Everred. Fall color is scarlet.





<u>Demi Sec</u> is a slow growing green laceleaf, leaves somewhat coarse. It forms a round ball rather than the typical cascading form of dissectum. Fall color is yellow gold and orange.







<u>Dex Laceleaf</u> is a wild growing green laceleaf. It's habit is as a bush rather than cascading. Foliage is less divided and more coarse than most laceleafs. Mature size is unknown.





<u>Diane's dissectum</u> is a variegated dissectum similar to Toyama nishiki. It has fallen out of favor due to its slow growth and similarity to other scion. Fall color is a yellow and orange. Other references show this plant as green only but ours was variegated.







<u>Dissectum Japonicum</u> is a dissectum japonicum similar in form and function to Oregon Fern or Green Cascade. Leaves are slightly more dissected than Green Cascade. Fall color is an excellent yellow orange and red.





<u>Dissectum Variagata</u> is variegated laceleaf similar and possibly the same as Toyama nishiki or Goshiki shidare. Variegation is a mix of pink and cream. Fall color will probably be orange.





<u>Dr. Brown</u> is an attractive laceleaf with changeable coloration. Spring color is a reddish brown fading to garnet and then green. Fall color is a strong yellow to orange.







<u>Dragon tears</u> is a semi cascading palmatum similar in leaf and form to Jiro shidare, but with red foliage that fades to a rusty red in the heat of the summer. Fall color is a bright crimson.





<u>Dragon's Fire</u> in a newer red dissectum. Orange red in the spring, maturing to a purple red and then reddish green. Grown mostly for its bright fall show of yellow, orange and red.





<u>Eagle Claw</u> is a slower growing green lace leaf, foliage somewhat coarse and twisted. It has nice yellow and orange fall color.








<u>Ellen</u> is a vigorous new laceleaf with deeply divided but coarse leaves. Spring color is a pleasing yellow pink. Summer color is a bright green, and it has clear yellow fall color.





Emerald Lace is a deep green, mounding laceleaf with fine, Red Filigree lace-like foliage. It has bright red fall color, a rarity among green laceleaf. A vigorous grower with very pendulous branching, this is the best new green laceleaf selection in some time.




www.donschmidtnursery.com • donschmidtnursery@gmail.com



Emma is a new vigorous growing laceleaf with changeable foliage coloration. Spring growth is a reddish brown fading to a greenish brown.





English Lace is reputed to be an upright red lace leaf to about 12'. Only time will tell if this is true. Spring foliage is a rich burgundy. Fall color is bright orange and red.





<u>Everred</u> is a weeping, mounding red laceleaf. Everred is a hardy and consistent maple and is also be referred to as Dissectum nigrum. It is distinguished by silver pubescence on the spring new growth, and holds its color well throughout summer.





<u>Fairy Lights</u> is a slow growing Acer japonicum with finely dissected leaves. The plant grows too slow to weep like most laceleafs, instead forming an upright bush taller than wide. Fall color is an excellent orange and red.





Falling Stars is semi- weeping form of A. circinatum. It retains the sinuous branching of the vine maple in a broadly weeping form. Height would be determined by staking. Fall color is red.





Felice is a good new dissectum at times either red or green. Spring foliage is a bright yellow orange, fading to red and then to dark green. It forms more of a bushy mound than a weeper. New foliage can give the plant a multi-colored effect. Fall color is orange.





<u>Firecracker</u> is a dwarf red laceleaf, more spreading than weeping. It retains It's beautiful red color through out the summer. Fall color is a bright scarlet.





<u>Flavescens</u> is a weeping, mounding laceleaf with distinctive yellowgreen foliage; the fall color is a bright yellow to orange. It is an excellent contrast with the other laceleafs.





<u>Garnet Tower</u> is a red laceleaf with some upright characteristics. Only time will tell if it is the fabled red Seiryu of myth and legend. Fall color is a good orange red.







Garnet is a vigorous red laceleaf with somewhat coarser leaves. The branching is strong and more horizontal than most dissectums, forming a wide specimen. The leaf color is more garnet-red than purple and it has excellent orange-red fall color.





Germaines Gyration (Contorta) is a vigorous green green laceleaf. Branches twist and bend giving the plant a distinctive look in winter. Leaves are larger and coarser than Virdis. Fall color is orange.





Goodard's Prostrate is a good growing green laceleaf. Fall color is a nice yellow and orange.







Goshiki shidare is a variegated laceleaf similar to Toyama nishiki.

Some sources consider them the same variety but Goshiki shidare tends to be more blue green in color and slightly smaller. Variegation is pink and cream. Fall color is yellow and orange. (Five Colored Weeper)







Gossamer is a very slow growing cross between a green dissected A. palmatum and A. japonicum. Fall color is a bright yellow orange.





<u>Green Cascade</u> is a weeping Acer japonicum laceleaf. The branching is somewhat irregular, and this gives it an oriental look similar to Fernleaf's. The fall color is an outstanding mix of oranges and reds.







<u>Green Filigree</u> is a weeping laceleaf that is lime green in color. The leaves are green with cream markings on edges, and they will transition to a rich yellow-orange color in the fall. Green Filigree is somewhat slower growing than most dissectums.



<u>Green Hornet</u> is a vigorous green laceleaf. The new growth comes on orange-red. The fall color of Green Hornet is a fine red, although this is unusual in a green dissectum.







<u>Green Mist</u> is a mounding green laceleaf similar to Virdis. Its foliage is a little more delicate and is slower growing than Virdis. The fall color is orange to red.






<u>Green River</u> is a vigorous green laceleaf with reddish brown new growth. Fall color is a bright yellow to orange.



<u>Green Snowflake</u> is a slow growing A. shirasawanum laceleaf. It has small green leaves in the shape of a snowflake. Fall color is yellow and orange.



Phone: (503) 668-4659 • Mobile: (503) 781-3411 www.donschmidtnursery.com • donschmidtnursery@gmail.com





<u>Green Spider</u> is a good new laceleaf with deeply divided leaves. Spring growth is a chartreuse green fading to a middle green. Fall color is a mix of yellow and orange and finally red.





Hana matoi is a new red variegated laceleaf from Japan. It can be compared to Toyama nishiki, but its color is a much better red. Fall color is red. This plant has economic potential. (Dressed in Flowers)







<u>Hanzell</u> is a red Dissectum, spring color rapidly fades to a bluish green in heat of summer. It is reputed to grow well in full shade. It has good orange red fall color.





<u>Heartbeat</u> is a pretty red dissectum with pink red spring growth. The leaves matures to red green in heat of summer. The foliage is cut deeper to the base than most dissectums, giving the plant a delicate look. Fall color is a deep crimson.





<u>lce Dragon</u> is an Iseli introduction in the Jack Frost Collection, hardy to -20 to-30 F. Foliage is green after a flush of orange red. Fall color is a gorgeous mix of orange yellow and red.






Inaba shidare is a vigorous and strongly cascading laceleaf. It is almost black-red in color. Inaba shidare holds this color well in the summer and is distinguished by knuckling where its major limbs cascade. (Cascading rice plant)





<u>Irish lace</u> is a mounding, green laceleaf with strong pinkish red new growth. The second summer growth gives the plant a two-toned look. The fall color is a fine orange and red.





Japonicum dissectum is a dissected japonicum similar to Green Cascade or Oregon Fern, but possibly more cascading. Spring and summer foliage is green. Fall color is an outstanding yellow, orange and red.







Jeddeloh Orange is named for its orange-red spring growth. The mature foliage however is a deep green. Second growth gives the plant an attractive two-toned look. The fall color is a fiery orange-red.





<u>Jiro shidare</u> is a cascading form of green palmatum and it retains its palmatum-like leaves. While Jiro shidare is not a dissectum, its cascading growth habit puts it in the laceleaf group. The fall color is a bright yellow and orange.





Kawaii is a red dissected Acer shirasawanum. It is slow growing and so will not have a weeping habit. At maturity it will form a wide globe probably under 3' tall. (Cute)







<u>Kim</u> is a red dissectum with pink red spring growth. Summer leaf matures to a purple red. Fall color is garnet.







<u>Kiri nishiki</u> is shown in the books as a green laceleaf, ours is a purple red in spring, fading somewhat in summer. Fall color is gold, and orange.



<u>Koyo ao shidare</u> is a green laceleaf with bright orange spring growth. Mature foliage is s deep green. Fall color is a bright red.







Lady Abbess is a slow growing dissectum with finely divided leaves. It was named for the first Abbess of Regina Landis, the Reverend Mother Benedict Buss OSB. Spring flush is a bright pink fading to a medium green. Fall color is brilliant red and orange.







Laura's Love is a deeply divided dissectum with irregular tooth dentition on the leaf lobes. It is purple red in the spring fading to a deep green in summer and finishing yellow, orange, and red in the autumn.





Lemon chiffon is a yellow green laceleaf. It can be subject to burn in summer heat, probably best planted in partial shade. Fall color is a nice bright orange.





<u>Lemon Lime Lace</u> is a distinctive laceleaf with lemon yellow new growth, older leaves fading to lime green. Fall color is yellow and orange.







Lionheart is an interesting red dissectum. Not an upright, it forms an open, sprawling mound with spring/summer coloring similar to that of Crimson Queen. The fall color is crimson red.








Midori no teiboku (V Corbin) is spreading green laceleaf wider than tall. Foliage is coarser and a deeper green than Virdis, with distinctive saw tooth edging. Fall color is a pleasing yellow and orange. (Green Spreader)





Mr. T is a black red dissectum with pink spring foliage. Fall color is crimson. This scion is rare in the trade.



Nancy Ann (Nancy's Legacy) is a laceleaf named in memory of Nancy Fiers of Mountain Maples. Spring color is a pink red maturing to a pale green. This scion is actually the reversion of Toyama nishiki. Fall color is orange and red.





Octopus is a vigorous red mounding laceleaf. Spring growth is a pinkred that becoming a darker purple-red as the season progresses. The fall color is a bright crimson.



Phone: (503) 668-4659 • Mobile: (503) 781-3411
www.donschmidthursery.com • donschmidthursery@gmail.com

Ogon shidare is an excellent green laceleaf with bright orange new growth. Mature leaves are edged with white variegation. This is a good plant that should be propagated more. Fall color is yellow and orange. (Golden Weeper)





Orangeola is a weeping dissectum with bright orange-red spring foliage. The leaves fade to a rich red-green in the summer, and a second flush of orange leaves gives the plant a two-toned effect. The fall color is a fiery orange-red.







<u>Oregon Fern</u> is a laceleaf version of Acer japonicum. It is a more horizontal and slower growing than Green Cascade. Fall color tends to be more red than orange.





Ornatum is an old selection of dissectum. Spring foliage is orange red, fading to red green in the summer. Fall color is a crimson red. Old specimen can reach 12' and have beautiful structure. It is probably the same scion as Atropurpureum dissectum.





Otto's dissectum is a fine laceleaf with red spring foliage that fades to green in the summer. It is an excellent grower that provides a different look throughout the different times of the summer. The fall color is bright red and orange.





<u>Pendulum Angustilobum</u> is a green dissectum with leaves coarsely dissected. Fall color is a fine yellow. This is not the same plant as the linearlobum variety, Atrolineare.





<u>Pendulum Julian</u> is an interesting red laceleaf. Spring foliage is pink red maturing to purple red and then fading to a rusty green. Color changes give the tree a multicolored look. Fall color is yellow to red.





<u>Pink Filigree</u> is a spreading laceleaf with pinkish red spring color, maturing to green. Branching is more out and up rather than true weeper, similar to Baldsmith. Fall color is orange red.





<u>Pink Lace</u> is a robust green dissectum with a flush of pink on the new growth in the spring. Summer color is a deep green. Fall color is yellow and orange.





Raraflora is a pretty green laceleaf with new foliage a yellow orange, fading to a good medium green. Fall color is red.





Red Autumn Lace is a smaller growing green dissectum. It is suitable for smaller gardens. Fall color is outstanding orange and red.







Red Dragon is a red dissectum that is more true red in color than other laceleafs. It is a slower grower than the other common laceleafs, but this makes it an excellent plant in situations where the laceleaf needs to remain small. Red Dragon has a strong red fall color.





Red Feathers is a very finely dissected red laceleaf, similar to Red Filigree. It may be the same plant as Rilas Red. Fall color is scarlet.





Red Filigree Lace has extremely fine-cut laceleaf foliage. It is a very slow growing variety, and is best thought of as a collector maple. The fall color is a bright crimson.





Red Strata is a low growing red laceleaf, spring color a pinkish red. It is fairly slow growing and does not seem to gain much height. Fall color is orange red.





Red Web is a red dissectum with pink red new growth. It fades to a medium green in the heat of summer. Fall color is an excellent orange red.






<u>Rilas Red</u> is a slow growing dissectum with very finely dissected leaves. It holds color well in summer and is a similar plant to Red Filigree. Fall color is red.





Roseo marginata is a old type laceleaf with orange red new growth, fading to a rusty green. It is a similar plant to Atropurpereum dissectum or Ornatum. Fall color is a bright orange red.





Roseo pictum is another old type lace leaf with rusty red spring growth, fading to a bronze green. It is a similar plant to Ornatum. Fall color is gold though crimson.





<u>Rubrifolium</u> is a fast rowing red dissectum with rusty red spring foliage and contrasting green veins. Foliage matures to a reddish green. Fall color is yellow to crimson.







<u>Scarlet Princess</u> is a small witches broom from Crimson Queen. Other than size all other characteristics are similar.







Seki no kegan is a horizontal, semi weeping form of A. sieboldianum. Mature height is unknown, but probably in the 6 foot range, with a spread exceeding 10 feet. Fall color is a good orange and red.





<u>Sekimori</u> is a green mounding laceleaf. Although similar in appearance, it is a deeper green and more strongly cascading than Virdis. Its leaves are also slightly coarser upon close examination. The fall color of Sekimori is a pleasant yellow and orange. (Guard at the checkpoint.)





<u>Sensai</u> is a red A. shirasawanum laceleaf, more orange red than the true red of Kawaii. It is possibly a palmatum x shirasawanum cross. Fall color is a good orange.








<u>Sherwood Elfin</u> is a red dwarf with deeply incised purple red leaves. It is a dwarf version of Burgundy lace or Sherwood Flame. Mature height is unknown but will probably have a globe shape. Fall color is scarlet.





<u>Shojo shidare</u> is a cascading red laceleaf, maroon in the spring fading to a reddish green. It is reputed to hold it's color well in the south. Fall color is a strong scarlet with gold highlights.



<u>Shu shidare</u> is a vigorous mounding laceleaf. It 's foliage is orange in the spring, fading to an orange red as the summer progresses. Fall color is a bright orange. (Orange weeper)





<u>Spring Delight</u> is a green laceleaf with beautiful new growth, edged in red. It is a vigorous grower with beautiful yellow and orange fall foliage.





<u>Stella rossa</u> is a nice mounding laceleaf. The leaves and habit are similar to Tamukeyama. Stella rossa has a brilliant red fall color.







<u>Suisel</u> is a variegated green laceleaf with white variegation along the leaf edge. It is slow growing and is a similar plant to Green Filigree. Fall color is orange to pinkish red.







<u>Sunset</u> is a distinctive mounding green laceleaf. The foliage is a bright green with overtones of a rusty red. The new growth can be almost yellow in color, while fall color is an orange red.





<u>Sweet Lorraine</u> is a bushy laceleaf, finely dissected leaves emerging pink. The foliage turns greenish blonde by summer and finishes with an excellent yellow to orange to red.





<u>Takane shidare</u> is an excellent green laceleaf with yellow variegation. Care must be taken to retain variegation. Fall color is a good red.





<u>Tamukeyama</u> is excellent red laceleaf that holds its deep purple color all summer. It is more vigorous in its growth when compared to Everred or Crimson Queen. The fall color is a bright scarlet. (Tamuke mountain)





Toyama nishiki is a mounding laceleaf with green, white and pink variegation. It should be grown in partial shade to retain better variegation and color. The fall color of Toyama nishiki is orange and red.







<u>Tsukasa shidare</u> is a new purple laceleaf from Japan. Foliage is coarser than Tamukeyama, but it is similar in color and habit. Fall color is crimson.





<u>Van den Akker</u> is a slow growing dissectum with orange red spring color. Color holds well in the heat of summer. Fall color is yellow and orange.





Vic's Pink is green dissectum with coarsely cut leaves, similar to Washi no o. Foliage retains a pink cast through out the summer. Fall color is a strong crimson.





Virdis sport was an unsustainable pure white sport from Virdis. It did not have enough chlorophyll to live when separated from the mother plant.





<u>Virdis</u> is the classic green mounding laceleaf. A more vigorous grower than the Waterfall, it has bright green foliage, and excellent orange and yellow fall color.





<u>Washi no o (Palmatifidum)</u> is a strongly cascading green laceleaf. The leaves are coarser and less divided than Viridis, but this hardy plant can withstand harsh conditions. Washi no o has excellent yellow and orange fall color. (Eagle tail)





Washi no tsume (Eagle Claw) is a slower growing green dissectum.

Leaves are somewhat coarse. It should not be confused with the similar Washi no o (Eagle tail), a somewhat faster growing green laceleaf. It is also not Kamagata another maple also called Eagle Claw. Fall color is yellow and orange.





<u>Waterfall</u> is a green laceleaf similar to Virdis. Leaves are more delicate and branches slightly more cascading. Fall color is a excellent yellow and orange.





Watnong, like Baldsmith, is a peach-orange in the spring that fades to a deep green in summer. The new orange growth gives the plant a two-toned look, which transitions to pleasing overall red color in fall. Where Baldsmith is pillowy in structure, Watnong is a strong horizontal grower.





Yellow Cascade is a weeping maple with palmate leaves. It is similar in form to Ryu sei, but with butter yellow leaves is spring and early summer. Leaves fade to green as the summer progresses.. Autumn color is yellow to red to orange.